Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: FOREVER LIGHT

Supplier's address: R&D Department, Krakowska 119, 50-428 Wrocław Wrocław Dolnośląskie, PL

Model identifier: RTV003618

Type of light source:


Lighting technology used:	LED	Non-directional or directional:	NDLS		
Light source cap-type	3x0,75mm				
(or other electric interface)					
Mains or non-mains:	MLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	No		
Product parameters					

Parameter Energy consumption in on mode (kWh/1000 h), rounded		Parameter parameters: Energy efficiency class	Value G
mode (kWh/1000 h), rounded	50	Energy efficiency	G
mode (kWh/1000 h), rounded			G
up to the nearest integer	4.000 in		
Useful luminous flux (duse), in dicating if it refers to the flux ir a sphere (360°), in a wide cone (120°) or in a narrow cone (90°	Sphere (360°)	Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set	4 500
On-mode power (P _{on}), ex pressed in W	- 50,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	-
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second dec imal	,	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	81
Outer dimen- Height	206	Spectral power dis-	See image
sions without Width separate con- trol gear, light- ing control	160 35	tribution in the range 250 nm to 800 nm, at full-load	in last page

parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-		
		Chromaticity coordi- nates (x and y)	0,377 0,379		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	-2	Survival factor	-		
the lumen maintenance factor	-				
Parameters for LED and OLED mains light sources:					
displacement factor (cos φ1)	0,93	Colour consistency in McAdam ellipses	6		
Claims that an LED light source replaces a fluorescent light source without integrated bal- last of a particular wattage.	_(b)	If yes then replace- ment claim (W)	-		
Flicker metric (Pst LM)	0,1	Stroboscopic effect metric (SVM)	0,1		

(a)_{'-'} : not applicable;

(b)'_-' : not applicable;



Model placed on the Union market from 08/12/2020



EPREL registration number: 721489

Supplier: TELFORCEONE S A (Manufacturer)

Customer care service:

Name: R&D Department

Email: marcin.kwolek@tfo.pl

Address:

Krakowska 119 50-428 Wrocław Poland https://eprel.ec.europa.eu/qr/721489

Website: WWW.TELFORCEONE.PL

Website: www.telforceone.pl

Phone: +48 71 327 20 00