
Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources		(_0, _0_0, _	io 13 With regard to effect	87 10008 01 118111			
Supplier's name	e or trade mark:	YEELIGHT					
Supplier's address: Byron, Flurweg 11, 82402 Seeshaupt, DE							
Model identifier: YLCG006							
Type of light so	urce:						
Lighting technology used:		LED	Non-directional or directional:	NDLS			
Light source cap-type		USB Type C					
(or other electric interface)							
Mains or non-mains:		NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:		No	Envelope:	-			
High luminance light source:		No					
Anti-glare shield:		No	Dimmable:	No			
		Product para		T			
Parameter		Value	Parameter .	Value			
		General product p					
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		3	Energy efficiency class	G			
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		180 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700			
On-mode power (P _{on}), ex- pressed in W		2,4	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,50			
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80			
Outer dimen-	Height	600	Spectral power dis-	See image			
sions without separate con- trol gear, light- ing control	Width Depth	40 9	tribution in the range 250 nm to 800 nm, at full-load	in last page			

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,456			
		nates (x and y)	0,410			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	1	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/07/2021



EPREL registration number: 707121 https://eprel.ec.europa.eu/qr/707121

Supplier: Yeelight Germany GmbH (Authorised representa Website: https://www.yeelight.de/

tive)

Customer care service:

Name: Byron Website:

Email: qiaoyouchun@yeelight.com Phone: +86 15065752726

Address: Flurweg 11 82402 Seeshaupt

Germany